



Patient Transfer

Authorised retailer

Summary

Introduction	4
Transboard Line	8
Sliding boards	14
Gurney	16
Handling sheets	18
Sheet	19
Tubular	20
Cushions and repositioning bags	21
Ergonomic belts and sling	22
Aids and accessories	23
Electric lift	24

Patient Transfer

Line of devices for the mobilization and repositioning of partially collaborating or non-collaborating patients.

B^{code}

Find on-line info on this category right now just by shooting this code



1 Disability of the patient

It is crucial to identify patient's disability because this leads to different choice of procedures and methods.


NON-COLLABORATING PATIENT

cannot help movement with either the upper limbs or the lower limbs (e.g. tetra paretic, bedridden elderly, patient under general anesthesia, in a coma, patient resisting mobilization).

PARTIALLY COLLABORATING PATIENT

can take advantage of a residual ability to move (e.g. hemiplegic, paraplegic, patient in functional recovery phase).

2 Transfer between surfaces



Ideal for:



Intensive Care Unit



Operating Room



Long-term care



Emergency

How to choose the most suitable product, according to patient health conditions and procedures to be carried out

3 Handling and Positioning in bed



4 Lift Positioning in case of emergency



Patient Transfer

Operational uses

→ Differences in height and gaps between the bed and stretcher

The Transboard transfer axes are the right tool to fill gaps during the horizontal movement of patients from one surface to another.

Thanks to these aids, it is possible to move patients from the bed to the stretcher or from the stretcher to the operating table and vice versa, in total safety even in case of distances up to 20 cm between the two surfaces, or differences in height up to 15 cm.

→ Work related injury reduction

Our Transboards are resistant and covered with a high-sliding ULF fabric that allows moving the patients by sliding them, with the support of the board itself, from one surface to another, without burdening the operator. This practice significantly lowers the risk of injury among health care workers while ensuring greater protection to the patient, who is handled in an absolutely atraumatic manner.



→ Clean contact surfaces



Thanks to the disposable cover, each Transboard can be reused several times without the need for a deep sanitation. Also recommended in case of incontinent or injured patients, to prevent the phenomenon of cross infections.

From the bed to the stretcher and vice versa

Transfer board designed to facilitate the safe movement of patients, from bed to stretcher or to the operating table, with minimal effort.



Atraumatic movement



Removable cover machine washable up to 60° C



Disposable cover to avoid across infection



Foldable
Transboards Plus



Rigid
Transboard Plus

Transboard Line

Transfer boards designed to facilitate the daily work of healthcare professionals, with particular attention to the safety of the patient and of the medical and paramedical staff.

**A model designed for every use:
emergency, operating room and hospital wards.**

Transboard Plus line and Light line

Transboard line Plus e line Light differ mainly in handle type, number of handles (**4 in PLUS and 2 in LIGHT**), capacity (**kg. 300 PLUS line and 250 kg. LIGHT line**).

Transboard Plus is equipped with 4 handles in ABS, non-deformable and impact-resistant plastic, which guarantees a firm and comfortable grip for the operator. Also used with bariatric patients up to 300 kg.

Transboard Light is equipped with 2 light handles, made of Polyurethane and PVC, which makes it simple to maneuver and easy to carry. Maximum capacity of 250 kg.

Both types of boards have the following features in common:

- Thin rigid core of slightly non-deformable polyethylene padded with amorphous, radiolucent, and waterproof material.
- They overcome gaps up to 20 cm and height differences up to 15 cm.
- the board is equipped with completely removable tubular covers, made of ULF Nylon (Ultra Low Friction)
- Atraumatic, antistatic, hypoallergenic, and non-abrasive.
- Boards washable up to 70 °, lining up to 60 °.
- Made with high frequency welding, easy to disinfect.



Transboard Plus

Transboard Light



Transboard Light

Foldable transfer board



Open, during use, it covers the entire surface of the bed. When not in use, the two sections that make it up allow to fold it easily and store it with minimum space.

TRO1100P

Dimensions: 180x50 cm foldable

Weight: 2,3 Kg

Board thickness: 1,5 cm

TRO1100PB

Dimensions: 125x50 cm foldable

Weight: 1,6 Kg

Board thickness: 1,5 cm

TRO1100PC

Dimensions: 150x50 cm foldable

Weight: 2,0 Kg

Board thickness: 1,5 cm

- TRO1100P
- TRO1100PB
- TRO1100PC



PATIENT TRANSFER

Rigid transfer board



+ NEW

- TRO1100R
- TRO1100RB
- TRO1100RC

TRO1100R

Dimensions: 180x50 cm rigid

Weight: 2,3 Kg

Board thickness: 1,5 cm

TRO1100RB

Dimensions: 125x50 cm rigid

Weight: 1,6 Kg

Board thickness: 1,5 cm

TRO1100RC

Dimensions: 150x50 cm rigid

Weight: 2,0 Kg

Board thickness: 1,5 cm



BIOMATRIX
PRODOTTI MEDICALI

Mini transfer board 90x50 cm

90x50 cm	1,15 Kg	250 Kg	RIGID	HANDLES x2
-------------	------------	-----------	-------	---------------

TR01100M

Dimensions 90x50 cm rigid
Board thickness 1,5 cm



TR01100M

Transboard Plus

Foldable transfer board

- TR01100PP
- TR01100PPB
- TR01100PPC

MORE SIZES	300 Kg	Foldable	HANDLES x4
---------------	-----------	----------	---------------

Open, during use, it covers the entire surface of the bed.
When not in use, the two sections that make it up allow to fold it easily and store it with minimum space.

TR01100PP


Dimensions: 180x50 cm foldable
Weight: 3,9 Kg

TR01100PPB

Dimensions: 125x50 cm foldable
Weight: 2,7 Kg

TR01100PPC

Dimensions: 150x50 cm foldable
Weight: 3,0 Kg



Bag TR01W100



Rigid transfer board

- **TRO110ORP**
- **TRO110ORPB**
- **TRO110ORPC**



TRO110ORP

Dimensions: 180x50 cm rigid
Weight: 3,9 Kg

TRO110ORPB

Dimensions: 125x50 cm rigid
Weight: 2,7 Kg

TRO110ORPC

Dimensions: 150x50 cm rigid
Weight: 3,0 Kg



Mini transfer board 90x50 cm

- **TRO110OMP**



Accessories

TRO110OMP

Dimensions: 90x50 cm rigid
Weight: 1,5 Kg




Accessories: Replacement cover per size

Code	Size
TRO110OPF	180x50 cm
TRO110OPBF	125x50 cm
TRO110OPCF	150x50 cm
TRO110OMF	90x50 cm

Bi-ONE DISPOSABLE COVERS

For transfer boards



Waterproof roll, made of polyethylene film that protects the transfer system during use. Available in different sizes. The polyethylene roll is pre-cut, ready to use with a simple "tear".

► TRO1116

Technical features

Polyethylene film 30 microns. Waterproof, lightweight and easy to use.

Dimensions

TRO1116A

Disposable cover for
rigid and foldable transfer board

- 200x60 cm
- 1 roll/100 covers.

TRO1116B

Disposable cover for
mini transfer board

- 100x60 cm
- 1 roll/200 covers



Transboard Plus
foldable



Transboard Plus
rigid



Transboard Plus
Mini



Transboard Light
foldable



Transboard Light
rigid



Transboard Light
Mini

Transboards' Accessories

Wall support for roll of disposable covers and hook for Transboard

The disposable wall support for rolls with hook for Transboard, designed to guarantee maximum hygiene minimum store space. Made of stainless-steel wire 18/10, rustproof.

Solid, light, and easy to assemble.



Wall support for disposable roll covers with hook

• **TRO1W100AG**

Technical data


Support material 18/10 stainless steel
Support weight 1 kg
Dimensions 69x21x13 cm

Wall support for disposable roll covers

• **TRO1W100B**

Technical data

Support material 18/10 stainless steel
Support weight 1 kg
Dimensions 69x21x13 cm



Operating Room

Super Roll

Transfer device for the Operating Room

Transfer device for the operating room, suitable only with anesthetized patient. The operator's work is facilitated since it allows to transfer the patient without lifting him. Easy to use and sanitize.



• **TRO1114S**

Tight Dimensions

Super roll 4 rollers
37x62 cm

• **TRO1114L**

Large Dimensions

Super roll 4 rollers
43x62 cm

Sliding boards

Made of polyethylene, designed to slide in a sitting position from a surface to another (wheelchair - car seat / bed - wheelchair), on the same level or with minimal differences in height.

All boards are equipped with 2 non-slip bands.

 **TRO1110**



Board "BANANA"

Equipped with lateral flaps to protect legs.



Technical data

TR01110	TR01110B	TR01110C	TR01110D(Pediatric)
77x32,5cm	62x26 cm	70x26 cm	58x26 cm
Weight withstands 150 kg	Weight withstands 200 kg	Weight withstands 200 kg	Weight withstands 180 kg



 **TRO1108**



BOARD




 **TRO1109**



BOARD "FARFALLA"

Equipped with legs protecting flaps..



 **TRO1109F**





BOARD "FARFALLA" FLEX

Equipped with flexible lateral flaps to protect patient lower limbs and back from accidental injuries.

Technical data

TR01108 - 59x32 cm
TR01108L - 76x32 cm
 Material Polyethylene
 Weight withstands 180 kg

Technical data

TR01109 - 59x32 cm
TR01109L - 76x32 cm
 Material Polyethylene
 Weight withstands 180 kg

Technical data

TR01109F - 59x32 cm
TR01109FL - 76x32 cm
 Material Polyethylene
 Weight withstands 180 kg

❖ TRO1115



Patient Slider

Transfer board

- Facilitates the transfer of the patient on different levels (about 15 cm) or with large gaps between bed and stretcher or vice versa.
 - Solid, durable, radiolucent, eco-friendly, nontoxic.
 - Equipped with non-slip safety strips (3 m) at the ends of the inner part.
 - High-slip surface.
 - Can also be used in bed for heart massage.
- Large availability of sizes, light weight.
- Also available electroconductive.
 - Capacity 200 kg.
 - The mobilization can be helped by inserting a sheet between patient and board surface, so that the device remains firm, and the patient is transferred by pulling him with the sheet.



PATIENT TRANSFER

❖ TRO1115A

Standard Dimensions

183x56 cm
Weight: 3,5 Kg

❖ TRO1115B

Stretto Dimensions

183x46 cm
Weight: 3,5 Kg

❖ TRO1115C

Largo Dimensions

183x65 cm
Weight: 3,5 Kg

❖ TRO1124

CPR (cardiopulmonary resuscitation) board

CPR board made of stratified laminate, 8 mm thick, with handle, rounded and beveled edges, complete with chromed steel support.

Dimensions cm 60x45x0,8 H



BIOMATRIX
PRODOTTI MEDICALI

Gurney

Drape designed to facilitate the transfer and lifting of patients from the floor, bed, stretcher, operating table. Consisting of a polyurethane foam padding and stiffened with a plate made of polyethylene, removable through a zip opening (to facilitate cleaning).

Equipped with large padded and seamless side handles, which facilitate the grip and movement of the patient in absolute safety.

❖ TRO1101

Gurney, drape with 4 handles

180	HANDLES x4	100x41
 Kg		 cm



❖ TRO1101M

Gurney, drape with 6 handles

250	HANDLES x6	150x43
 Kg		 cm



❖ TRO1101L

Gurney, drape with 10 handles

400	HANDLES x10	152x87
 Kg		 cm



❖ TRO1101L2

Gurney, drape with 14 handles

400	HANDLES x14	205x105
 Kg		 cm



TRO1101XL

350 Kg	HANDLES x12	274x150 cm
-----------	----------------	---------------

Wounded and obese carrying sheet, with 12 handles

In tearproof, waterproof and fireproof nylon, equipped with 12 reinforced handles. Capacity 350 Kg.



TRO1105S

Pivot Disc Soft



Soft disc indicated for the mobilization of patients with severe motor deficits, with great sensitivity in the feet or with severe mobility problems in the lower limbs. Its rotation prevents abrupt twisting of the trunk, thus favoring displacements. Each rotation maneuver must be guided by an operator. Non-slip support surface.



Technical data

Diameter 40 cm
Material: two nylon discs
ULF (Ultra Low Friction)



TRO1105R

Rigid Pivot Disc with handle ø 38 cm



Support to move, rotate and sit patients with severe walking problems. Its rotation prevents abrupt twisting of the trunk and facilitate the movements from sitting to sitting. The rotation must be guided by the operator who, with one foot, rotates the Pivot disc in the desired direction. Equipped with non-slip support surface and a carry handle. Transfer capacity: 160 kg.



Handling sheets

➤ **TRO1113MA**

WITH HANDLES	300+ Kg	150x70 cm	CUSTOM MADE	NY U.L.F.
--------------	------------	--------------	-------------	--------------

Tubular with handles

It is used to facilitate the movement and handling of bedridden patients. It is positioned under the patient like a bed wetting mat, allowing it to slide in various directions with extreme ease.

Features:

- Made of Ultra Low Friction nylon, especially suitable for this type of use.
- Made up of two overlapping layers joined by Velcro. The bottom layer is equipped with handles for movement, the top layer is made of low friction fabric, and it is ideal for handling.
- Double riveted finishes.
- It is radiolucent and UV resistant.
- Made of non-toxic fabric, it is available in different.



Features:

Wash:

It can also be washed at 60 ° in the washing machine.

Dimensions:

TRO1113MA - 150x70 cm

➤ **TRO1126**

➤ **NEW**

Disposable Bi-ONE tubular

Transfer device for the operating room

Disposable tubular sheet used to facilitate the movement and handling of bedridden patients.

It is positioned under the patient bed wetting pad, allowing it to slide in various directions with extreme ease. Disposable tubular looks like a roll of polyethylene and is pre-cut, ready for use with a simple "tear".

Attention: before using the disposable Tubular, tear off a sheet, open it so that the air inside allows greater sliding. Discard the drape once the patient has been moved.



Technical data

Material: 60 microns polyethylene film.

Waterproof, lightweight and easy to use.

Cloth size: 110x60 cm

1 roll/100 sheets.

Sheet



• **TRO1112**



Sheet with handles for the positioning of bedridden patients

It is normally used double: the largest sheet directly on the mattress and, above, the smallest sheet. These sheets are positioned on the bed as wetting mat: thanks to the different handles placed on the sides, the upper sheet in contact with the patient can be moved in all directions with extreme ease. It is furthermore equipped with handles for easier handling.

Features:

- Made of Ultra Low Friction ULF nylon, particularly suitable for this type of use.
- High resistant fabric that supports sliding movement of people up to 250/300 kg.
- Resistant double riveted finishes with handles.
- It is radiolucent and UV resistant.
- Made of non-toxic fabric, it is available in different sizes, or tailor made.

Wash:
SHEET It can also be washed at 60 ° in the washing machine.

Dimensions

TRO1112A Sheet 200x105 cm	TRO1112E Sheet 180x70 cm	TRO1112I Sheet 150x70 cm	TRO1112M Sheet 110x90 cm	TRO1112Q Sheet 90x50 cm
TRO1112B Sheet 200x70 cm	TRO1112F Sheet 170x90 cm	TRO1112J Sheet 130x100 cm	TRO1112N Sheet 110x80 cm	TRO1112R Sheet 70x70 cm
TRO1112C Sheet 195x70 cm	TRO1112G Sheet 170x72 cm	TRO1112K Sheet 130x80 cm	TRO1112O Sheet 110x75 cm	TRO1112S Sheet 70x50 cm
TRO1112D Sheet 190x75 cm	TRO1112H Sheet 165x70 cm	TRO1112L Sheet 130x70 cm	TRO1112P Sheet 95x75 cm	TRO1112T Sheet 65x55 cm

Tubular

➤ **TRO1113**



Tubular for bedridden patients' moving and handling

It is positioned under the patient like a wetting mat, to slide easily in various directions.

Features:

- Made of Ultra Low Friction nylon, particularly suitable for this type of use.
- High resistant fabric that supports sliding movement for weights over 250-300 kg.
- Double riveted finishes.
- It is radiolucent and UV resistant.
- Made of non-toxic fabric, it is available in different sizes, customized size as well.

Wash:

TUBOLAR can be machine washed up to 60 °



Dimensions:

TRO1113A

Tubular 195x70 cm

TRO1113B

Tubular 190x75 cm

TRO1113C

Tubular 180x60 cm

TRO1113D

Tubular 170x72 cm

TRO1113E

Tubular 150x80 cm

TRO1113F

Tubular 150x70 cm

TRO1113G

Tubular 130x80 cm

TRO1113H

Tubular 130x72 cm

TRO1113I

Tubular 110x180 cm

TRO1113J

Tubular 110x90 cm

TRO1113K

Tubular 110x75 cm

TRO1113L

Tubular 110x50 cm

TRO1113M

Tubular 100x70 cm

TRO1113N

Tubular 95x75 cm

TRO1113O

Tubular 90x70 cm

TRO1113P

Tubular 70x75 cm

TRO1113Q

Tubular 70x50 cm

TRO1113R

Tubular 65x55 cm

TRO1113S

Tubular 60x60 cm

TRO1113T

Tubular 50x40 cm

Cushions and repositioning bags



➤ **TRO1106S**

Minislide

Pillows designed to posture and reposition the patient in bed or wheelchair, extremely soft and comfortable to the touch thanks to their padding. Designed for long-term care and home use. They differ in cladding material and size.

Availability and dimensions:

- TRO1106SN**
- MINISLIDE 50x60 cm nylon
- TRO1106S**
- MINISLIDE 50x60 cm cotton
- TRO1W106SN**
- Nylon cover



➤ **TRO1106M**

Midislide

Pillows designed to posture and reposition the patient in bed or in wheelchair, extremely soft and comfortable to the touch thanks to their padding. Designed for long-term care and home use. They differ in upholstery material and size.

Availability and dimensions:

- TRO1106MN**
- MIDISLIDE 90x70 cm nylon
- TRO1106M**
- MIDISLIDE 90x70 cm cotton
- TRO1W106MN**
- Nylon cover



➤ **TRO1102**

One Wayslide

Cotton cushion for seated patients, prevents from assuming incorrect postures and prevents slipping, rotates only in one direction.

Availability and dimensions:

- TRO1102L**
- 50x45 cm
- TRO1102**
- 45x40 cm



➤ **TRO1106LN**



Maxislide

Transfer bag ideal for handling and transferring patients from bed to stretcher, between surfaces of the same level. The handling can take place independently or with the help of the operator. It is also ideal for rotation: positioning the patient in lateral decubitus. It can be left under the patient's body as an anti-decubitus support; it also acts as a postural support when the patient is in a lateral position, rolling up the remaining part of the width.

On request it is equipped with washable nylon cover (TRO1W106LN).

Technical data

- Length:** 190 cm
- Width:** 60 cm
- Transfer capacity:** 250 kg
- Suspension capacity:** 160 kg



➤ **TRO1107**

Turning Slide

Soft bag for the repositioning and rotation of bedridden patients for long-term care and home care. Thanks to the special hooks for anchoring to the bed, it can be left under the patient, avoiding further displacements; is used also as a positioning aid.

Technical data

- Length:** 190 cm, **Width:** 90 cm
- Material:** est. cotone, int. ULF Ultra Low Friction
- Transfer capacity:** 250 kg
- Suspension capacity:** 160 kg

Ergonomic belts and sling

❖ TRO1103

Sling

60x20
cm

Ergonomic band with handles on the hips to transfer and lift patients. It is equipped with double handles placed on both sides that help operators in the various transfer phases and allow a secure grip for the operator. Particularly suitable for lifting the patient from the bed and positioning him on the wheelchair or for moving around in the bed and for transfers between bed and wheelchair. The external part is in nylon while the internal part is in non-slip material which effectively restrains the patient; the interior is padded to avoid causing trauma to the patient.



❖ TRO1104

Belt

PL 160 WITH HANDLES PIÙ MISURE

Particularly suitable for the support of the patient in rehabilitation. Belt equipped with horizontal and vertical handles that offer countless grip possibilities. The front closure is with safety clips, easily adjustable. The interior is padded and lined with non-slip material to make a good grip on the patient without causing trauma.

Approved load 160 kg,
Material: polyester

Dimensions:

TRO1104S - size S cm 65/105 - 7 handles
TRO1104M - size M cm 80/120 - 9 handles
TRO1104L - size L cm 95/135 - 11 handles
TRO1104XL - size XL cm 110/150 - 13 handles



❖ TRO1104E

Easy Belt

PL 160 WITH HANDLES PIÙ MISURE

Particularly suitable for the support of patient in rehabilitation.

Approved load 160 kg
Material: polyester

Dimensions:

TRO1104ES - S cm 65/105 - 7 handles
TRO1104EM - M cm 80/120 - 9 handles
TRO1104EL - L cm 95/135 - 11 handles
TRO1104EXL - XL cm 110/150 - 13 handles

Aids and accessories



◉ TRO1117


Bed Patient lift ladder

Designed to help the bedridden patient get into a sitting or wheelchair position, it has six separate bands with different colors. Made of highly resistant synthetic fabric.

ONE
SIZE

Technical data

Length 200 cm
Width 20 cm
Handles 8



PATIENT TRANSFER



◉ TRO1120

Fall protection mat

Fall protection mat used as protection in case of accidental falls from the bed. Made up of 30 kg /m3 self-extinguishing high-density polyurethane foam sheet divided into 3 sections. The outer cover is made with polyamide fabric treated with PU, waterproof, breathable to vapor, elastic and hypoallergenic. The lower part is made of non-slip fabric made of polyester and PVC, prevents the user from slipping.

Dimensions:

Length 170 cm
Width: 70 cm
Sections: 3

◉ TRO1W120

Transport bag/ backpack

MORE
SIZES

CUSTOM
MADE

Practical, compact, and simple modular backpack, suitable for multiple uses. It consists of a large central compartment with front opening. Provided with a front pocket, has carry handles and reinforced shoulder straps. Made of 600 polyester fabric, available in different colors: blue, red, orange and black. Reinforced seams and sturdy hinges, black PVC bottom with 5 plastic supports. It is available in different sizes, also customized.

Dimensions:

Length: 52 cm
Width: 37 cm
Depth: 25 cm



BIOMATRIX
PRODOTTI MEDICALI

Electric lift

GENESIS 400 Patient lift



Electric lift recommended for professional use. The structure is painted steel tube, with electrically adjustable base - via remote control. Equipped with 4 swivel wheels, column carrying handle with accompaniment and wire command. The Timotion engine is electric with rechargeable batteries. The controls are operable by remote control or directly on the control unit. The lifter is equipped with an armhoist and sling bar. The emergency descent can be activated directly on the motor. The maximum capacity is 205 kg

❖ TRO119E *Electric*

Dimensions

Balance bar height: adjustable da 65 cm a 180 cm

Maximum arm height: 195 cm

Base width: adjustable da 57 cm a 94 cm

Balance bar width: 40 cm

Handle height: 125 cm

Maximum dimensions: 128 x 107 cm



Standard lifter sling

Standard lifter sling with or without headboard.



🔗 TRO1W119U

Without headboard

Dimensions

Width: 88 cm

Length: 107 cm

Max capacity: 180 kg



🔗 TRO1W119TC

With headboard

Dimensions

Width: 85 cm

Length: 91 cm

Max capacity: 180 kg

Notes

[illegible]



BioMatrix

Via Maffini, 23 • 29010 San Giuliano di Castelvetro (PC)
Tel. 0523.826619 • Fax 0523.826728 • e-mail: info@biomatrix.it

All rights reserved. Changes may be made without prior notice. BioMatrix S.r.l has not to be considered responsible for damages resulting from the lack or inaccuracy of the information reported here.